INDEX Copeia 1985, Nos. 1–4

NEW NAMES

Abronia kalaina 135–141
Atelopus peruensis 910–917
Bajacalifornia arcylepis 345–356
Barbulifer mexicanus 333–339
Breviraja claramaculata 1035–1052
Breviraja nigriventralis 1035–1052
Breviraja schroederi 1035–1052
Cetopsorhamdia phantasia 339–344
Cyrtocara macrocleithrum 591–596
Eptatretus mendozai 365–869

Etmopterus carteri 584–591
Etmopterus perryi 584–591
Gambusia yucatana australis 368, 373–378
Liolaemus curis 556–559
Liophis vanzolinii 565–573
Litoria piperata 145–149
Nansenia problematica 141–145
Notropis snelsoni 126–134
Rana okaloosae 379–383

NEW AND ESTABLISHED NAMES

Abronia 135-141 aurita 135 bogerti 136-140 chiszari 136-140 deppii 135, 138-140 fuscolabialis 135-136 graminea 136, 138-140 kalaina 135-141 lythrochila 135 matudai 135 mitchelli 135-140 mixteca 135, 138-140 montecristoi 135 oaxacae 135, 137-140 ochoterenai 135 reidi 136-140 salvadorensis 135 taeniata 136, 139-141 vasconcelosii 135 Acalyptophis peronii 205 Acanthophis antarcticus 257-259 Acanthuridae Acanthurus bahianus 870 chirurgus 879 coeruleus 875-880 hepatus 48 Acestrorhynchus 794 microlepis 794-796 Acheta domestica 925 Acosmanura 180 Acrantophis 1070 Acris 299 gryllus 383 spp. 639 Acrochordidae 1070 Acrochordus 1070 granulatus 957 javanicus 679, 682-685, 690 Agama sp. 93 Agamidae 91, 93, 96-98, 241, 560 Agkistrodon contortrix 649, 959

Agrammus agrammus 972 Aipysurus 1070 eydouxi 205 laevis 1067 Albula 346 Alepocephalidae 345 Alestes nurse 551 Alligator mississippiensis 280, 695, 720, 767 Allodontichthys hubbsi 505 Allopleuron 766 hofmanni 764 Alopias superciliosus 83-84 Alopiidae 228, 230 Alopoglossus 560-562 Alosa aestivalis 541, 548 chrysochloris 541, 548-549 fallax 541, 548-550, 552 mediocris 541, 548, 551 pseudoharengus 541, 548-550, 552 sapidissima 541, 548-549, 551 Alosinae 541 Alsodes 175-181 barrioi 175, 177, 180 montanus 177-180 monticola 175, 177-180 nodosus 175, 177-180 pehuenche 180 tumultuosus 175-180 Amapasaurus 561-562 Ambystoma 87, 247-251, 256, 309, 316-317, 322, 415, 463-465, 479, 535-539, 631-632, 635-636, 926-927, 1029, 1082 jeffersonianum 89, 309, 416, 478, 487 laterale 309-316, 318-319, 322 laterale × Ambystoma texanum 318 laterale-texanum 309-324 laterale/tremblayi 313-314, 316 maculatum 86, 89, 247-248, 312, 416, 487, 535-539, 631-637 opacum 86-91, 394, 487, 631-637

platineum 309, 311, 317-318 talpoideum 86-91, 477-489, 635-636 texanum 89, 309-319, 322, 462, 464, 487, 1081 tigrinum 86-91, 254-255, 311-312, 316, 394, 487, 500-501, 535-539, 631, 636, 643, 926-932 tigrinum mavortium 928 tigrinum nebulosum 928 tremblayi 309, 311, 313, 316-317 Ambystomatidae 247, 394, 926 Ameiva 560-561, 563 Amia calva 550 Ammocrypta 62 vivax 61-62 Amphibia 282, 394, 1080 Ambhiesma vivakari 499 Amphignathodontinae 299 Amphisbaena alba 981 caeca 981 Amphisbaenidae 560 Amphiuma means 265, 643 Amphiumidae 265 Anablepidae 961 Anableps dowi 961, 964 Anadia 561-562, 564 bogotensis 563 Anchoa compressa 541 mitchilli 541, 548-553 panamensis 541, 550 walkeri 541, 550 Aneides 5 Anemonia sulcata 737 Anguidae 6, 94, 96, 135, 560 Anguilla anguilla 206 japonica 517 vulgaria 206 Aniliidae 1070 Anniella 560, 981 nigra 94, 96 bulchra 94, 981-986 pulchra pulchra 981 Anniellidae 94, 96 Anolis 5-7, 244, 282, 707, 905-910, 933 aeneus 1080 bonairensis 93 brevirostris 906 carolinensis 91-93, 182, 193, 259-262, 412, 501, cooki 906 cristatellus 193, 282, 906 cybotes 193, 905-910 distichus 193 equestris 193 erythropus 910, 912 gadovi 282 garmani 193 lemurinus 282 limifrons 260

lineatopus 99

marcanoi 905-910 nebuloides 282 omiltemanus 282 polylepis 282 ricordii 908 sagrei 182-194, 409-414 sagrei ordinatus 183 sagrei sagrei 183 sericeus 282 uniformis 282 Anomalepiidae 1069 Anoptichthys jordani 1005 Anotheca 299 spinosa 299 Anotosaura 561-562 Antechinus swainsonii 468-471 Anura 107, 145, 175, 423, 625, 910 Apeltes quadracus 209-213 Aphyocharax erythrurus 795-796 Apistogramma borelli 233-234 caucatoides 233-234 Aplocheilidae 505 Arachnida 902 Araneida 1079 Archelon 763-766 ischyros 752, 754, 762, 764, 768 Argentina 346 Arizona 1070 Artemia salina 918 Arthropoda 902 Arthrosaura 561-562 Aruma 333-334 Ascaphidae 299 Ascaphus 299 truei 462 Asparagopsis sp. 737 Aspidites 1070 Asquamiceps 346-347 Astyanax 161, 1058 bimaculatus 795-796 fasciatus 1004-1011, 1058 fasciatus mexicanus 1005 Atelopus 14, 910-917 arthuri 911-912 bomolochos 910, 912, 915-916 halihelos 911-912 ignescens 910, 912-916 ignescens exigua 912 nepiozomus 911-912 pachydermus 912 peruensis 910-917 pulcher 910, 912 rugulosus 910, 912 seminiferus 910-912 spumarius 910, 912 tricolor 910, 912 willimani 912 Atherinidae 21 Aulonocara sp. 595 Aurelia sp. 737

Auxis 231
thazard 231-232
Baccharis sp. 916
Bachia 560-563
scolecoides 562
Bajacalifornia 345-356
arcylepis 345-356
burragei 346-350, 353-355
calcarata 345-347, 349-352, 354
drakei 345, 351-352
erimoensis 345, 351, 353-354
megalops 345, 347-354
sp. 1 348
sp. 2 347–349, 354
Balanus trigonus 453
Barathrodemus manatinus 69-73
Barbulifer 333-339
antennatus 333, 335, 338
ceuthoecus 333-336, 338
mexicanus 333–338
pantherinus 333–337
papillosus 334 Barisia 140
viridiflava 94, 96
Basiliscus vittatus 93
Batagurinae 713, 785
Bathylagidae 141–142
Bathymacrops macrolepis 142
Bathytroctes
calcaratus 350
drakei 351-352
Batrachoidiformes 870
Batrachoseps 5
Batrachyla 175, 180-181
leptopus 176, 179
taeniata 179
Belonesox belizanus 1055
Bergiaria 359
Bitis arietans 649
Blenniidae 39
Boa 1070
Bodianus rufus 878
Boidae 1070 Boiga 1070
irregularis 1069
Bolbometopon muricatum 798
Bolitoglossa 5
Bolyeriidae 1069
Bombina
bombina 295-297
bombina × Bombina variegata 282
hemiophrys 296
variegata 296-297
Bomby mori 661
Bothrochilus 1070
Bothrops godmani 171
Brachyaspis 259
Brachymystax lenok 551

Brachyraphis episcopi 961, 964

Breviceps 5

Breviraia 1035-1036, 1042, 1050-1051 claramaculata 1035, 1042, 1044-1045, 1047-1051 colesi 1035-1042, 1050-1051 nigriventralis 1035, 1042-1045, 1047, 1050-1051 schroederi 1035, 1042, 1044-1047, 1050-1051 spinosa 1035-1052 Brevoortia patronus 541-542, 548-549 tyrannus 541, 548, 738, 1018-1027 Brycon guatemalensis 551 meeki 551 Bufo 14, 280-281, 292-295, 299, 327, 463-465 americanus 280, 293-296, 462, 464, 490-492, 661 arenarum 294, 571 boreas 280, 294, 296, 645-648 boreas × Bufo microscaphus 280, 282 bufo 491 chilensis 178 cognatus 280, 293 fowleri 293-295 granulosus 571 hemiophrys 296 marinus 280-281, 625-631 punctatus 280, 294, 296 sp. 558 speciosus 293 spinulosus 176 terrestris 639 typhonius 11 viridis 293-294, 648 Bufonidae 6, 8, 299, 910 Bufonoidea 299 Bungarus fasciatus 715 Cabomba 951 Cacophis 1070 squamulosus 1067 Caecilidae 950 Caiman sclerops 413 Calabaria 1070 Calceolaria 176 Callichthyidae 997 Callinectes sapidus 451, 453, 455, 738 Callionymus beniteguri 505 ornatipinnis 505 Callisaurus draconoides 92-95 Callopistes 6, 561-562 flavipunctatus 563 maculatus 562-563 Calophysus 359 macropterus 359 Calyptocephalellini 181 Cancer irroratus 738 Candoia 1070 Carangidae 875, 877 Caranx bartholomaei 875, 877-878 ignobilis 798

melampygus 798

Characiformes 997-998 Carcharhinus Charina 1070 albimarginatus 83 Chasmistes 837 amblyrhynchas 798 Cheirocerus 356-367 galapagensis 83 leucas 80, 83-84 eques 356-367 melanopterus 798 goeldii 356, 358-367 blumbeus 83-84 Caretta 453, 708, 723, 740, 765-766, 772-774 Cheirodon 1059 caretta 73-79, 449-456, 671-679, 681-684, 687affinis 1058-1060 690, 694-695, 699, 711-712, 718, 726-727, 729, arnoldi 1058-1060 732, 738-739, 752, 754, 756-759, 761, 766bulcher 795 768, 775, 786-788, 1083-1085 terrabae 1058 Carettochelyidae 754 Chelidae 445, 754, 784 Carettochelys 754 insculpta 752, 754-756, 768, 786 Chelodina 445 expansa 446 Carpiodes 834, 838 longicollis 446 carpio 837-838, 846 oblonga 446 cyprinus 837-838, 840, 846 rugosa 446 velifer 837-838, 840, 846 steindachneri 446 Caspialosa pontica 541, 548-551 Cheloepharginae 766 Catostomidae 833 Catostominae 833-834, 840, 842 Catostomini 833-834 depressa 697, 737 Catostomus 833-834, 840, 842 catostomus 837-838, 846 commersoni 613-618, 836-838, 840, 846 discobolus 837-838, 846 latibinnis 837-838, 846 mydas mydas 729 Caudata 247, 264-265 Caudiverbera 175-181 caudiverbera 175-180 Cheloniidae 854, 766 Chelus 445, 447 Caulerpa 737, 744 fimbriatus 446 sp. 737 Chelydra 724 Celastrus scandens 303 Cemophora 1070 Chinemys reevesi 713 Centropyge 235 Chirocentridae 541 Ceratophrys ornata 571 Cercis canadensis 303 Chirodon 1059 Cercosaura 561-562 Certonotus gunnellus 206 Cetopsorhamdia 339-344 Chiropterotriton 5 molinae 343 nasus 341-343 Chlamydoselachus 228 phantasia 339-344 picklei 342 Chondropython 1070 Cetorhinidae 228, 230 Cetorhinus 228-230 bicta belli 684 maximus 220-222 picta marginalis 691 Chaetodon 235-236 picta marginata 761 ocellatus 236-237 ocellatus × Chaetodon striatus 235-238 picta picta 413 scripta elegans 668 striatus 235-237 Chamaecyparis thyoides 383 Cichlasoma Chamaeleo 95, 244, 560 jacksoni 91, 93-94 Chamaeleonidae 91, 93-94, 96, 98 nigrofasciatum 1060 Cichlidae 591 Chamaeleontidae 241, 560 Cladocera 218 Chanos chanos 551, 890-898 Chapalichthys encaustus 112-118

Characidae 794, 1004-1005

abuelo 356-357, 360-363, 365-367 leptus 356, 359, 360, 363, 365-366 Chelonia 708, 723, 729, 733, 740, 766, 772-774 mydas 73-79, 262-264, 451, 664-671, 672-676, 679-693, 694-695, 698-700, 708-709, 711-712, 716-718, 723-733, 736, 738-739, 741-744, 754, 764, 767, 772, 786, 788, 1084 mydas agassizi 729, 780-781 Chelonibia testudinaria 453-454 serbentina 715, 752, 761 Chirocentrus dorab 541-542, 548-553 Chironomidae 218, 360 Chironomus sp. 654, 659 Chirostoma beryllinum 792-794 Chrysemys 708, 784-785 picta 50, 55, 77, 388, 706-707, 752, 941, 945-948 Chthonerpeton indistinctum 950, 954 citrinellum 938, 1060 Clariidae 997 Cleithrochromis bowleyi 592

Clelia 1070	Coronella 1070
Clemmys 785	Corsochelys 764–766
insculpta 684, 784–785	haliniches 763
Cliftonia monophylla 383	Cortaderia speciosa 176
Clupanodon thrissa 541	Coryphaena 790
Clupavidae 541	equiselis 790
Clupavus maroccanus 541, 550, 552	hippurus 790
Clupea	Coryphaenoides 1014
harengus 540-541, 544, 548-553	acrolepis 1012-1016
pallasi 541	armatus 1011-1012, 1014-1016
Clupeidae 540-541, 1018	armatus armatus 1012-1016
Clupeiformes 541	armatus variabilis 1012-1016
Clupeinae 541	leptolepis 1012–1015
Clupeoidei 541, 553	rupestris 1015
Clupeomorpha 541, 550	spp. 1014
Clupeonella cultriventris 541, 548-557	yaquinae 1012-1015
Cnemidophorus 305, 322, 560-561, 563-564, 1057	Crangon 23
exsanguis 562	Craspedoglossa 299
inornatus 564	Crinia 299
lemniscatus 564	Crocodilurus 561-562
neomexicanus 321	Crotalidae 649
sexlineatus 1074	Crotalus 282
tigris 93, 95-96, 1076	scutulatus × Crotalus viridis 282
uniparens 321	viridis 280
velox 321	viridis viridis 281, 496-497
"Cnemidophorus perplexus" 322	Crotaphytus 979
Codium adhaerens 737	collaris 412, 782-784, 976-980
Coelothrix irregularis 738	insularis 93
Coilia	Cryptoblepharus 150-151
dussumieri 541, 549	eximius 150-151
nasus 541	plagiocephalus 150-151
neglecta 541-542, 549-550, 552-553	Cryptobranchus
Coilinae 541	alleganiensis 492-496
Coldenia plicata 742-743	alleganiensis alleganiensis 492-495
Colembola 1079	alleganiensis bishopi 492-495
Coleonyx 471	Cryptodira 448, 784-786
variegatus 93, 95-96	Ctenobrycon spilurus 796
Coleoptera 218, 902, 1079	Ctenochelys 766
Colobodactylus 561-562	tenuitesta 764
Colobosaura 561-562	Culaea 441-442, 790
Colostethus 14	inconstans 209
nubicola 11	Cuora amboinensis 713
Coluber 7, 1070	Curimata sp. 796
constrictor 959	Curimatella immaculata 795-796
nummifer 267	Cycleptinae 833-834, 841
Colubridae 7, 101, 565, 649, 1069-1070	Cycleptus 834, 838-842
Conorhynchus 359	elongatus 837-838, 846
Conscinodiscus 23	Cyclodina 151
Contracaecum sp. 902	aenea 150-151
Copepoda 218	Cycloramphus 299
Cophixalus 6	Cyclorana 299
Cophosaurus texanus 1074	Cyclothone
Corallus 1070	megalops 351
Cordylidae 93, 96-97, 241, 560	(?) megalops 351
Cordylus polyzonus 93, 96	Cylindrophis 1070
Coregonus artedi 551	rufus 981
Corixidae 902	Cyprinidae 154, 161, 839, 842
Cornella	Cyprinodon macularius 457
anomala 569-570	Cyprinodontinae 505
	Cyprinus carpio 841

Cyrtocara 591-593, 595 macrocleithrum 519-596

Cyrtodactylus arnouxii 153 pelagicus 153

Dactyloperus insulensis 150, 153 Dalea emoryi 742-743 Daphnia 248-259, 995 Dasia smaragdinum 93

Deirochelys reticularia 941

Demansia 1070 psammophis 1067 Dendrobates 14 auratus 14

Dendrobatidae 6, 8, 14 Denisonia 259, 1070 punctata 1067-1069

Denticeps 541, 550-552 Denticipitidae 541

Denticipitoidei 541 Dermatemvidae 754

Dermochelyidae 754, 766

Dermochelys 737, 739, 752, 761, 764-767, 786 coriacea 449-456, 681-684, 694, 711, 739, 752, 754, 756, 759-763, 766-768

Dermophis 954
mexicanus 950-951, 954
Desmatochelyinae 766
Desmatochelys 766
lowi 764

Desmognathinae 847 Desmognathus 5, 9, 11, 293, 395, 400

fuscus 255, 257, 394 monticola 255, 848

ochrophaeus 255, 257, 394-402 quadramaculatus 255-256, 847-851

Diadema 877
Diadophis punctatus 959
Diastemalepis 560
Dibamidae 93, 96, 560
Dibamus novaeguineae 93, 96

Dicrodon 561 gutulatum 563 Diplomystes 343

Dipsosaurus 407-408, 707

dorsalis 93, 403, 407-408, 412, 742-743, 1074

Diptera 218, 902, 1079 Discoglossidae 299 Docimodus 591

Dorosoma cepedianum 540-556

Dorosomatinae 541 Doryura vulpecula 150, 153 Dracaena 247, 561-562

guianensis 562

Draco 7 Drosophila 293, 395, 468, 1057

Dugong dugon 742 Dussumieria acuta 541 Dussumieriinae 541 Dytiscidae 643

Echinosaura 561-563
Echiopsis 259
curta 259
Echis colorata 266
Ecpleopus 561-562
gaudichaudii 562
Eigenmannia 795

sp. 505 Elaphe 1070 guttata 205

guttata guttata 195-208

obsoleta 412

Elapidae 7, 649, 1067, 1070 Elapoides 165

Elasmobranchii 1035 Eleocharis sp. 86

Eleutherodactylus 5, 14, 282, 294, 423-424, 431-435

antillensis 423-424, 431-435

coqui 36, 423-436 esoces 282

flavescens 433 guentheri 424, 432-433 inoptatus 433, 435

jasperi 424

johnstonei 424, 432-434

latrans 424

martinicensis 424, 432-434 nasutus 424, 432-433

nubicola 424, 432-435 planirostris 424, 432-433, 435

portoricensis 36, 423–424, 431, 434 ricordii 424

rugulosus 282 sp. 916 Elgaria 140

Elodea 951 densa 744 Elops 345

hawaiiensis 551 saurus 551–552

Elseya 445 dentata 446 latisternum 446 sp. 446

Embiotoca jacksoni 986–994 lateralis 986–994 Embiotocidae 986

Embiotocidae 986
Emoa
nigra 152

nigrita 150, 152 Emydidae 713, 752, 784–786

Emydinae 713, 785 Emydura 445, 785 australis 446

INDEX

kreffti 446
macquarii 446, 785
signata 446, 784–786
sp. 446
Emys 785
orbicularis 713, 716, 752
Enchenopa binotata 303
Engraulidae 541
Engraulinae 541
Engraulis japonicus 541, 548-553
Enhydrina schistosa 205, 955-961
Ensatina 5
Eochelone 766
brabantica 764
Eosphargis 764, 766
breineri 763
Ephemeroptera 218, 360, 902
Epicrates 1070
Epinephelus spp. 879
Eptatretus 865–867
caribbeaus 866
mendozai 865–869
minor 866-867
multidens 865–867
sp. 865-866
sp. A 866
sp. B 866
sp. C 866, 869
springeri 866
?Eptatretus sp. C 866
Equus scotti 927
Eremias 708
Eretmochelys 766
imbricata 77, 694, 697, 737, 739, 754, 788
Erichalcis arcta 541, 550, 552
Ericymba buccata 552
Erimyzon 833–834, 839–841
oblongus 837–838, 840, 846
sucetta 840
tenuis 840, 843
Erimyzontini 833–834, 840
Erythrinidae 998
Erythrolamprus 384
Eryx 1070
johni johni 715
Esox 248, 250
Etheostoma 61-63, 581
Etheostoma × Percina caprodes 60
asprigene 62-63
australe 580
barbouri 580, 582-583
blennioides 63-64
blennius 580
(Boleosoma) 862
boschungi 580
boschungt 300
caeruleum 63–64
caeruleum 63-64
caeruleum 63–64 (Catonotus) 580–583 (Catonotus) barbouri 580, 582
caeruleum 63–64 (Catonotus) 580–583

(Catonotus) obeyense 580, 582 (Catonotus) virgatum 580, 582 chlorosomum 62-64 cinereum 580 euzonum 63-64 flabellare 63-64, 580, 582-583 fonticola 63-64, 68 gracile 62-64 grahami 62, 64, 67 histrio 62-63 juliae 63-64 kennicotti 580, 582-583 lepidum 57-58, 64-67 neopterum 580-581, 583 nianguae 63-64 nigrum 855-865 nigrum eulepis 855, 863-864 nigrum nigrum 855, 863-864 nigrum susanae 855 obeyense 580, 582-583 olivaceum 580, 583 olmstedi 57, 855-965 olmstedi atromaculatum 855, 863 olmstedi maculaticeps 855 olmstedi olmstedi 855, 863 olmstedi vexillare 855 ouachitae 225, 227 proeliare 62-64 punctulatum 63-64 radiosum 62-64 smithi 583 spectabile 58-59, 64-67 spectabile pulchellum 58 spectabile spectabile 58 squamiceps 580, 582-583 stigmaeum 63-64 striatulum 583 tetrazonum 63-64 virgatum 580, 582-583 vitreum 580 zonale 63 Etmopterus 584-591 bullisi 584, 588-589 carteri 584-591 decacuspidatus 588 gracilispinis 585, 588 hillianus 585, 588-589, 591 lucifer 584 perryi 584-591 pusillus 584, 588 schultzi 584-585, 588 sentosus 588 spinax 588 unicolor 588 virens 584, 588, 591 Etrumeus teres 541, 549 Eucalyptus 468 Eumeces 282, 497-499 fasciatus 499, 777-779 latiscutatus 91-93

yucatana 368-374, 376-377

okadae 497-500 yucatana australis 368, 373-378 yucatana yucatana 368, 373-377 skiltonianus 93, 95 Eunectes 1070 Garmanella pulchra 505 Euplepharis 708 Gasterosteidae 209, 441 Gasterosteus 211, 441-442, 790-791 Euprotomicrus 585, 587 aculeatus 209-213, 437-444, 619-624, 789-792 Eupsophus 175, 180-181 roseus 176, 179 aculeatus form trachurus 209 leiurus 621 Eurycea 400 bislineata 847-848 trachurus 691 junaluska 847 wheatlandi 209-211 longicauda 257 Gastropoda 218, 1079 quadridigitata 86-89, 487 Gastrotheca 299 Euspondylus 561-563 marsupiata 299 maculatus 564 peruana 916 riobambae 299 Euthynnus 231 Exilboa 1070 Gaudryella 346 Gehvra Farancia 1070 mutilata 153 Feylinia 560 oceanica 152 variegata 469-470 Fistularia petimba 798 vorax 150, 152-153 Fordonia 1070 leucobalia 1069 Gekko japonicus 91, 96 Formicidae 1079 Gekkonidae 91, 93, 95-97, 241, 560 Fucus 211 Gelidium spp. 987 Fundulus Geochelone 265 diaphanus 505 denticulata 744 elephantopus 754, 764, 767-768 heteroclitus 21-22, 23, 26 gigantea 742-744 notatus 507 parvipinnis 505 orthopygia 266 pardalis 752 Geophis 165 Gadiformes 1016 Gadus morhua 351 fasciata 165 Galeocerdo cuvieri 451 Gerrhonotus 140 Gambusia 368, 378, 459, 598-599, 1053-1055, 1063 coeruleus 94, 96 affinis 118-125, 456-461, 597-612, 899, 904, 964, flavigularis 93, 96 1054, 1063-1064 Gila atraria 509-514 alvarezi 377, 1063 Gobiidae 333 amistadensis 904 Gobionellus shufeldti 505 beebei 1053, 1055 Gobiosoma 878 eurystoma 1053, 1055 ceuthoecum 334 gaigei 904, 1054, 1063-1064 (Elacatinus) 333 geiseri 904 pantherinum 335, 337 georgei 904 sp. 878 heterochir 904, 1063-1064 spiriti-sancti 335-337 hurtadoi 377, 1054, 1063 Gobiosomini 333 krumholzi 904 Gobulus 333 longispinis 904 Gonatodes antillensis 91, 93, 95-96 luma 1053-1055 Gongylophis 1070 marshi 898-905 Goniocephalus grandis 93 nobilis 1054-1055 Gonorynchiformes 997 pseudopunctata 1053, 1055 Goodea atripinnis 112-118 punctaia 1053, 1055 Goodeidae 113 puncticulata 374, 377 Gopherus 761 puncticulata yucatana 374, 376 agassizi 388 berlandieri 388 rhizophorae 1053-1055 senilis 1063 Graptemys 784-785 sexradiata 1053-1055 barbouri 388 vittata 1055 geographica 752 xanthosoma 377, 1053-1055 pseudogeographica 684

pulchra 388

Guettarda speciosa 741 Hoblias 505 Gymnocorymbus thayeri 796 Gymnophthalmidae 93, 95-96, 560 Gymnophthalmus 561-563 lineatus 95-96 multiscutatus 562 Gymnophiona 950, 954 Gymnothorax 518 boschi 519 brunneus 518-519 herrei 518-520 kidako 520 monochrous 519-520 Gymnotoidei 998 Gymnotus 998 Gyrinophilus 400 porphryriticus 255-256, 847-848 Gyrosigma 23 Habrosaurus dilatus 266 Hadropterus shumardi 225 Halichoeres birittatus 47 garnoti 47 maculipinna 47 radiatus 47 Haliplanella luciae 459 Halodule wrightii 746 Halophila sp. 746 Haplochromis 592, 595 Helicolenus maculatus 1015 Helix 116 Heloderma 560 Helodermatidae 91-92, 241, 560 Hemichromis bimaculatus 1060 Hemidactylus garnoti 153 Hemigrammus levis 795 spp. 796 Hemiptera 643, 902, 1079 Heptapterus 342 Heterodactylus 561-562 Heterodontus 228 Heteronota pelagica 150, 153 Heteropneustidae 997 Hexagrammidae 966 Hexagrammos 972 decagrammus 966, 971, 973 otakii 972 stelleri 972 Hiodon alosoides 551

Hipoplectrurus lamprurus 1065

Hoplerythrinus unitaeniatus 997

Holbrookia propingua 782

fasciolaris 150-151 undosa 150-151

Homoptera 303, 1070 Homopus areolatus 752

Holacanthus 235

Hombronia

malabaricus 505, 551 Hoplodactylus pacificus 153 pomarii 150, 153 Humbertia 346 Hydrocyon brevis 551 Hydromantes 302 Hydromedusa tectifera 446 Hydrophiidae 1067, 1070 Hydrophis 956 brookii 204, 957 caerulescens 957 fasciatus 294 melanosoma 205, 957 torquatus 957 Hyla 266, 293-295, 299 andersonii 294, 379, 383 arborea 293-294 cadaverina 294 chrysoscelis 294, 296, 299, 639 cinerea 266, 294-296 crucifer 639 ebraccata 27-33, 35-37 eximia 294, 299 eximia wrightorum 299 femoralis 29 gratiosa 266, 295-296, 299, 639, 1032 microcephala 27-38 phlebodes 27-29, 31, 34-37 phyllochroa barringtonensis 149 regilla 294, 298-299 squirella 266 versicolor 294, 296, 299 Hylactophryne augusti 424, 433 Hylidae 6, 145, 299 Hylinae 299 Hylodes martinicensis 424 Hylorina 175, 179-181 sylvatica 176 Hymenoptera 902, 1079 Hynobius nebulosus 472-476, 1081 Hypentelium 834, 840 nigricans 837-838, 846 Hyperlophus vittata 541 Hyphessobrycon 1058 arnoldi 1058 Hypnea 737 Hypoplectrus 1064-1065 indigo 1065 lamprurus 1064-1065 nigricans 1065 puella 1065 Hypseleotris 799

Ichthyomyzon
bdellium 881
fossor 887
gagei 882, 884, 888

greeleyi 881-890 hubbsi 881, 888 Ichthyotringa 346 Ictalurus melas 1060, 1062 natalis 1060 nebulosus 1060-1062 bunctatus 1060, 1062 Icteria 302 Ictiobinae 833-834, 839-840, 842 Ictiobus 834, 838-840 bubalus 837-838, 840, 846 cyprinellus 837-838, 840, 846 niger 837-838, 840, 846 Iguana 560 iguana 244, 742, 782 Iguania 98 Iguanidae 6, 91-98, 241, 409, 556, 560, 782 Iheringichthys 359 Ilisha melanota 541-542, 548-550, 552 sp. 541, 549 Imparfinis 342 Insecta 902 Insuetophrynus 175-181 acarpicus 175, 177-180 Ioa vigil 225-227 Iotichthys 509 phlegethontis 509-515 phlegethontis × Gila atraria 510-514 phlegethontis × Rhinichthys osculus 510 Iphisa 561-562, 564 Isopoda 218 Isurus 228

Japalura swinhonis 91 Jenkinsia lamprotaenia 541, 548, 550, 552 Jordanella pulchra 505 Juglans nigra 303 Juncus 176 repens 86 Jussiaea repens 178 Justicia americana 133, 217

Kalmia 416
Kaloula pulchra 252
Katsuworus 231
pelamis 232
Kentropyx 561
calcarata 563
Kinixys belliana 713
Kinosternidae 713, 754
Kinosternon 392
hirtipes 388–393
subrubrum 392, 713
sphagnicolus 149

Labidochromis 591 Lacerta 708 agilis 91

armeniaca 282 unisexualis 282 viridis 93, 96 Lacertidae 92, 93, 96, 241, 560, 563 Lacertilia 135, 245, 409 Lamna 228 Lamnidae 228, 230 Lamniformes 230 Lampetra appendix 887 fluviatilis 887 planeri 887-888 Lampropeltis 384, 1070 Lamprophis 1070 Lantana sp. 744 Lanthonotus 560 Lanthonotidae 91-92 Lapemis hardwickii 205, 956-957 Lates 800 Laticanda 281 colubrina 281 laticauda 281 semifasciata 281 Laurencia sp. 737 Lebiasinidae 997-998 Leiarius 343 Leiocephalus 265-266 Leiolopisma 150-151 fasciolare 150 nigriplantare 151 smithi 152 Leiopelma 294 Lepidochelys 453, 723, 731, 733, 766, 772, 774 kempi 77, 449-456, 681-683, 684-685, 695, 719-720, 726-727, 730, 732-733, 738, 754, 756, 759, olivacea 695, 699, 711, 716-717, 719-720, 725, 727, 729-731, 733, 738, 754, 779-782 sp. 694 Lepidophyma 560 Lepidoptera 1079 Lepidosauria 97 Lepisosteus 535 osseus 550-552 Lepomis 115, 161, 303 gibbosus 986, 992 macrochirus 118-125, 457, 925, 986, 992 Leposoma 561-563 Leptodactylidae 6, 8, 175, 423 Leptodactylus ocellatus 571 pentadactylus 11 Leptognathus annulatus 165 Leptolepis 346 Leptotyphlopidae 1069 Lerista frosti 1067-1069

Lethrinops 591-593

burtonis 93, 96, 561

Lialis 96

Liasis 1070

Leurognathus marmoratus 847-851

Lichanura 1070	Loxocemus 1070
roseofusca 195	Lucioperca lucioperca 550-551
Lile piquitinga 541, 550	Lutjanidae
Limulus polyphemus 453, 455, 738	Lutjanus 1065
Liolaemus 6, 556-557	argentimaculatus 798
altissimus 556, 559	argentiventris 1064-1066
buergeri 556, 558-559	novemfasciatus 1064-1065
chiliensis 558-559	Lycodonomorphus 1070
curis 556-559	Lycophidion 1070
fuscus 559	Lygaeus kalmii 608
gravenhorsti 559	Lygophis rutilus 569-570, 573
hernani 558-559	Lygosomella aestuosa 150, 152
monticola 93-95	Lyngbya 23
multiformis 559	7 6 7
schroederi 558-559	Mabuya 7
Liophis 565-567, 569, 571	Macroclemys temminchi 754, 764, 768
anomala 569	Macropholidus 561-562
anomalus 565-573	Macropus rufogriseus 1073
elegantissimus 565-573	Macrouridae 1011
flavifrenatus 567, 569	Malacochersus tornieri 691, 713
vanzolinii 565-573	Malacosoma americanum 918–919
Lipinia 151, 152	Malpolon 1070
vulcania 150-153	Maranta 260
Liquidambar styraciflua 86	Masticophis 7
Litoria 145-149, 299	flagellum 195, 207
barringtonensis 149	Mauremys leprosa 752
brevipalmata 145	Megachasma 228-231
citropa 148–149	pelagios 228
ewingi 295	Megachasmidae 228
flavipunctata 149	0
glandulosa 145	Megalops cyprinoides 551
infrafrenata 294	Megaloptera 902
	Megupsilon 505
olangburensis 145	aporus 505
paraewingi 295	Melosira 23
pearsoniana 148-149	Menidia 22-23, 26, 792
phyllochroa 148–149	audens 792
piperata 145-149	beryllina 22, 792-793
revelata 145	clarkhubbsi 792
subglandulosa 145, 148-149	colei 792
tyleri 145	conchorum 792
Lophiidae 870	extensa 792
Lophiiformes 870	menida 21-26, 792-793
Lophiodes 870–875	peninsulae 792
beroe 870-871	Merimopedia 23
caulinaris 870	Micrablepharus 561-562
kempi 870, 872	Microcephalus gracilis 204
miacanthus 870	Microgeophagus ramirezi 795
monodi 870	Microglobius 333
reticulatus 870	Microhylidae 6
spilurus 870	Micropterus salmoides 118-125, 457
Lophiomus 870-875	Microtus 597, 607-608
laticeps 870-871	paroperarius 927
setigerus 870-872	Micrurus 266, 384
Lophius 870-875	Minytrema 833-834, 839-841
americanus 870-871, 873	melanops 837-838, 846
gastrophysus 870	Mitsukurina 228, 230
piscatorius 870	Mitsukurinidae 228, 230
vaillanti 870	Moloch horridus 981
	4740000 1707 14465 504
Lopochelyinae 766	Mordacia mordax 888

Morone saxatilis 613 Moxostoma 833-834, 840 erythrurum 837-838, 846 macrolepidotum 837-838, 840, 846 Moxostomatini 833-834 Mugil cephalus 516 Mullus barbatus ponticus 550-551 Muraenidae 552 Mus 116 musculus 1057, 1068-1069, 1073 musculus molossinus 1073 musculus musculus 1073 Mustelus 80 Myrica cerifera 87 Myriophyllum pinnatum 639 verticillatum 178 Myron 1070 richardsoni 1069 Myxinidae 865 Myxocyprininae 833

Myxocyprinus 834, 837, 840

asiaticus 833, 839, 842-843

Nansenia 141-145 ahlstromi 144 antarctica 144 ardesiaca 141-142, 144 atlantica 142, 144 candida 144 crassa 144 groenlandica 144 longicauda 144 megalopa 144 oblita 144 pelagica 142, 144 problematica 141-145 sp. 141-142, 144 tenera 144 tenuicauda 144 Narcetes stomias 345-356 Natrix 101, 104, 106, 206 natrix 196, 206 tessellata 101, 104-106 Naucoridae 902 Negaprion brevirostris 83-84 Nematolosa arabica 541 chanbole 541 erebi 541 nasus 541, 549 Neobythitinae 69 Neoraja 1050 Neosilurus ater 800 Nereis 23 Nerodia 7 fasciata 205 fasciata pictiventris 195-208 sipedon sipedon 201

taxispilota 207

Neuroptera 1079 Neusticurus 561-562 aequalis 1015 liolepis 1012-1015 stelgidolepis 1012-1015 Ninia maculata pavimentata 165 Notechis 258-259, 1070 ater 1067 curtus 257-259 scutatus 257-259, 649 Nothobranchius 503, 506 elongatus 503, 507 foerschi 503-504, 506-507 guentheri 503-508 "guentheri" 507 melanospilus 503-504, 506-607 "palmquisti" 503, 507 palmqvisti 503-504, 506 patrizii 503-504, 506 rachovii 503-504, 506-507 Notobhthalmus viridescens 86-91, 478, 487, 638-644 viridescens dorsalis 638-644 viridescens viridescens 416 Notopterus chitala 551 notopterus 551 Notropis 126-127, 134 ardens 154 atrapiculus 154-155, 157-162 bellus 155, 161-162 bellus alegnotus 154-155, 157-162 bellus bellus 154-155, 157-163 bellus bellus × Notropis bellus alegnotus 155 fumeus 126, 128, 130-133, 154 fumeus fumeus 126 lirus 130 (Luxilus) 161 (Lythrurus) 126-128, 130, 132-134, 154-155, 158 (Lythrurus) fumeus 126, 128, 130, 132 (Lythrurus) snelsoni 126-134 (Lytheussas) umbratilis 128, 132 (Lythrusus) umbratilis cyanocephalus 130 (Notropis) 126 (Notropis) atherinoides 126 roseipinnis 154-163 snelsoni 126-134 umbratilis 128, 131-133, 155-157, 159-163 umbratilis cyanocephalus 126, 130-131, 135, 154-155, 163 volucellus 925 Noturus 216, 218 lachneri 216-220 (Schilbeodes) 217 Nyssa biflora 86

Odonata 902 Odontaspidae 228, 230 Odontaspis 230

Odontostilbe pulcher 796	Pelobatidae 107, 110, 324
Oedipina 5	Pelomedusa subrufa 713
Oncorhynchus	Pelomedusidae 445, 713, 752
kisutch 439, 442 nerka 505	Pelusios sp. 752
	subniger 713 Pelvicachromis
tshawytscha 273–278	
Ophidiidae 69 Ophidiinae 69	puicher 233–234 subocellatus 233–234
Ophidion marginata 69	taeniatus 233–234
Ophioblennius 39	Percidae 580, 855
atlanticus 39-49	Percina 60, 61, 225
atlanticus atlanticus 39, 41, 47	caprodes 59-60, 64, 66
atlanticus macclurei 39–49	carbonaria 59
Ophiodon elongatus 971	copelandi 61-62, 225-227
Ophiognomon 563	evides 61-62
Ophiogobius 333	macrolepida 60-61
Opipeuter 561-564	nigrofasciata 61
Ophisthonema	ouachitae 225-227
libertate 541	palmaris 580
oglinum 549	pantherina 133
Opisthoptera tardoore 54	phoxocephala 61-62
Opsariichthys hainanensis 551	sciera 60-61, 64
Ornategulum sardinoides 541, 548, 550, 552	shumardi 61, 4, 225-227
Orthoptera 1079	uranidea 225
Oryzias 521-522	vigil 227
celebensis 521-522	Percopsiformes 552
curvinotus 522	Peristedion cataphractum 550
javanicus 521–522	Peromyscus 305
latipes 507, 521-522	Perrunichthys 343
luzonensis 521-522	Petromyzon marinus 206, 881, 884, 887-888
melastigma 521-522	Petrosaurus mearnsi 93, 281–283
Oryziatidae 521	Petrotilapia 591
Ostariophysi 1058	Philodryas 1070
Osteoglossomorpha 552	Philodryas chamissonis 558
Osteopyginae 766	Pholidobolus 561-563
Osteopygis 766	Phractolaemus 997-998
emarginatus 764	Phrynops 448
Ostracoda 218, 902	dahli 446
Oxybelis aeneus 242-245	geoffrenus 446
Oxycloe 176	gibbus 446
Oxylebius pictus 966-975	nasutus 446
Oxyuranus scutellatus 258–259	rufipes 446
P 4	Phynopus simonsii 916
Palaemonetes 23	Phrynosoma 99, 1080
Pangasiidae 994	cornutum 93
Pangasius 998	platerhinos 92–94
buchanani 997	Physical stees 14
sutchi 994–998	Phyllodactylus 6, 14
Pantodactylus 561-562	marmoratus 468–472, 1074 Phyllomedusa 299
Paralabrax clathratus 987 Parulidae 302	
Paulisentis 902	Phyllomedusinae 299 Phymaturus palluma 558
Pelamis 960	Piabucina festae 997
platurus 205, 955	Pimelodella 359
Pellonula vorax 541	Pimelodidae 339, 356
Pellonulinae 541	Pimelodina 358
Pelobates 107, 109-110, 293, 295	goeldii 364–365
cultripes 107, 109-110, 293, 295	Pimelodus 343, 359
	leptus 356, 364–365
micris 11)/	
fuscus 107 syriacus 107, 293–294	maculatus 359

Priacanthidae 48

Pimephales 581 Prionace glauca 80, 83, 220-222 Prionodactylus 561-564 Pinus argulus 562 elliottii 86 taeda 86 Pristigasterinae 541 Pipidae 299 Procolpochelys 766 grandaeva 764 Pisces 209, 333, 339, 345, 356, 368, 521, 540, 597, Proctoborus 561-563 794, 855, 966, 1004, 1018, 1064 Pituophis 7, 1070 striatus 563 melanoleucus 649-652 ventrimaculatus 916 Protosteginae 766 Placosoma 561-562 Planariidae 902 Prototroctes 800 Platemys 445-449 Prunas serotina 919 Psammobhis 1070 macrocephala 445-448 Psephophorus 764, 766 pallidipectoris 445-448 platycephala 445-448 scaldii 763 Pseudacris 299, 463-465 radiolata 445-448 nigrita 295 spixii 445-448 triseriata 462, 464, 500-501, 625 Platyhelminthes 902 Platylepas hexastylos 453-454 triseriata feriarum 295 triseriata triseriata 462 Platysternidae 713, 754 Pseudaphritis urvillii 800 Platysternon megacephalum 713 Pseudechis australis 258-259 Plethodon 5, 9, 10-11, 302, 304, 400 cinereus 9-10 Pseudemydura umbrina 446 Pseudemys 676, 761, 785 dunni 9 nelsoni 744 glutinosus 9-10, 400 jordani 9-10, 400-401 scripta 77, 673-674, 677, 698, 725, 727, 752, 945 shenandoah 9-10 scripta elegans 413, 668, 713, 752-754, 756 vehiculum 9 Pseudobranchus 265 welleri 400 robustus 266 Plethodontidae 394 vetustus 265-266 Pleurodema thaul 178 Pseudocarcharias 230 Pseudocarchariidae 228, 230 Pleurodira 445, 448, 784-786 Pleuroneodes planipes 738 Pseudoeurycea 5, 302 Pneumatoarthrus 764-766 Pseudolabrus 235 peloreus 763 Pseudomonas 301 Pseudonaia 1067, 1070 Podarcis sicula 1074 Podocnemis affinis 1067 expansa 761, 764 guttata 1067 ingrami 1067 unifilis 754, 764, 768 modesta 1067 Poecilia formosa 962 nuchalis 1067-1069 textilis 258-259, 1067, 1070 latipinna 999-1004 Pseudopriacanthus altus 48 mexicana 964 reticulata 507, 924, 965, 974 Pseudotriton 400 sphenops 961-965 ruber 255-25, 847-848 Psilotris 333 spp. 964 Ptelea trifoliata 303 Poeciliidae 368, 597, 898-899, 961 Poeciliopsis 297, 962, 999 Ptychocheilus lucius 213-215 gracilis 961-965 Ptychoglossus 560-563 lucida 999 bicolor 562 monacha-occidentalis 321 kugleri 563 Pungitius 441, 790 tarapacana 176 Polychrus 560 pungitius 209-213, 441, 974 Pygopodidae 93, 96, 560-565 gutturosus 244 Polyodon spathula 613 Pyrrhulina cf. lugubris 795 Polypedates leucomystax 1081 Python 1070 Pomacanthus 235 reticulatus 767 Pomatomus saltatrix 26 Pythonodipsas 266-268, 1070 Poptella orbicularis 796 Potamogeton 113 Quercus-Carya 416

Quercus nigra 86

clavata 1051	
	punctularia punctularia 684
erinacea 1050-1051	Rhinophrynidae 299
garmani 1035, 1050-1051	Rhinophrynus dorsalis 299
(Leucoraja) 1050-1051	Rhizoprionodon terraenovae 80-85
(Leucoraja) erinacea 1038, 1050	Rhizostoma pulmo 737
(Leucoraja) garmani 1038, 1050	Rhododendron 416
(Leucoraja) ocellata 1038, 1050	Rhodymenia spp. 987
(Leucoraja) yucatanensis 1038, 1050	Rinoctes 346
ocellata 1050-1051	Robinia pseudoacacia 303
yucatanensis 1035, 1050-1051	Riolama 560-562
Rajiformes 1035	Ruppia maritina 23
Rana 5-6, 293-295, 299, 379, 382, 463-465, 1072	
aurora 1071-1074, 1080-1081	Salientia 324
"aurora" 1082	Salmo 285
aurora aurora 1071–1073	apache 285-292
aurora draytoni 1071-1073	aquabonita 290
berlandieri 295	clarki 285
boylei 294	clarki lewisi 289
cancrivora 648	clarki pleuriticus 285
catesbeiana 379, 418, 420, 462, 465-466, 1081	gairdneri 285-290, 439, 442
clamitans 379, 381-383, 421, 661	gilae 285–286
esculenta 282, 296-298	mykiss pleuriticus 285
grylio 379	pleuriticus 285
heckscheri 379	salar 1060
lessonae 282, 296-297, 299	trutta 288-289, 918-926, 951
muscosa 294	Salmoniformes 141
okaloosae 379–383	Salvadora 266
perezi 297	Salvelinus
pipiens 415-416, 418, 420-422, 500, 648, 661	fontinalis 288
pretiosa 1081	fontinalis × confluentus 510
ridibunda 293-294, 297-298	Sanzinia 1070
ridibunda × Rana perezi 282	Sardina pilchardus 540-541, 548-553
septentrionalis 379, 383	Sardinops sagax caerulea 541
sp. 282	Sargassum 738
sphenocephala 462, 464, 639	fluitans 738
sylvatica 415-422, 661, 1080-1081	natans 738
temporaria 252, 434	sp. 737–738
tigrina 653-662	Sauria 560, 782
utricularia 295	Sauromalus 403-404, 406-408
virgatipes 379, 382-383	hispidus 407
Ranidae 6, 379	obesus 403-409, 743-744
Ranidella 294, 299	varius 743–744
insignifera 295	Scaphiopus 110, 293-295, 325, 327-328, 330, 642
pseudinsignifera 295	bombifrons 294, 324-332
Rannunculus aquatilis 178	couchi 294-295
Regina 7, 1070	hammondi 294-295
Reptilia 282, 556	holbrooki 294-295, 638-644
Retropinna 346	multiplicatus 294-295, 324-332
Rhadinaea elegantissima 571	Scaridae 875, 877
Rhamdia 343	Scarus guacamaia 879
hilarii 343	Sceloporus 7, 14, 99
multiradiatus 343	jarrovi 239–242, 782
Rheodytes leukops 446	occidentalis 93, 98-99, 239, 413, 625, 782
Rhineura floridana 981	undulatus 244, 1077, 1079
Rhinichthys osculus 509-514	undulatus garmani 1077-1080
Rhiniodon 228	virgatus 239, 240
Rhinocheilus 1070	woodi 244
	Sciaenidae 552
Rhinochelys 766	ocincindae 332
Rhinochelys 766 pulchriceps 754, 763, 768	Sciaenops ocellatus 515–518

lateralis 1074 sp. 92 Scincidae 6, 91-93, 95-97, 241, 560 Scirpus cyperinus 86 Sciuridae 597 Scleropages 800 Scomber japonicus 1057 Scombridae 1056-1057 Scombrolabrax 790 heterolepis 790 Scorpaena guttata 1057 Scorpaenidae 1056-1058 Scyphozoa 737 Sebastes atrovirens 1057 caurinus 1057 melanostomus 1057 mentella 351 mystinus 1057 Serpentes 565 Serranidae 879, 1045-1065 Serranus flaviventris 1064 lamprurus 1064-1066 psittacinus 1065 Shimisaurus 560 Sibon 164-165, 172 carri 164-174 dunni 165, 172 fasciata 164, 170 fasciata fasciata 165 fischeri 164-174 fischeri fasciata 164 fischeri fischeri 165-172 fischeri kidderi 164-166, 168-171, 173 nebulata 165, 172-173 sartorii 170 Siebenrockiella 448, 785 crassicollis 713-715, 785 Siluriformes 998 Siluroidei 998 Simoselaps 1067-1070 bertholdi 1067, 1069 Siphonophora 737 Siren 264-266 dunni 266 hesterna 266 intermedia 265 lacertina 265-266 miotexana 266 sp. 265 Sirenidae 264-166 Sladenia 870-875 shaefersi 870-871, 874 Sovichthys 356-357, 366 abuelo 356-357, 365 Spalerosophis 104, 266-268, 707-708, 1070 cliffordi 101-106 diadema cliffordi 267

Sparisoma rubripinne 875, 877-879

Spartina 25 Spartina alternifora 23 Spea 111 Sphaerodactylus 282 Sphagnum 383 Sphenodon 91, 97 Sphenomorphus quoyii 1074-1077 Sphyrna lewini 220,223-224 mokarran 223-224 spp. 220-222, 223-225 zygaena 220, 223-224 Spicara smaris 550-552 Spilotes 1070 Spinachia spinachia 209 Spirinchus 346 Sporobolus virginicus 743 Spratelloides sp. 541-542, 548-550, 552 Spratticeps gaultinus 541, 548, 550, 552 Sprattus sprattus 541, 549-551, 553 Squalidae 584 Squaliolus 585, 587 Squalus 228, 586, 590 Squatina 228 Staurotypus 448 Stegonotus 1070 cucullatus 1069 Stellio stellio 93, 96 Stenocercus 93 Stenolepis 561-562 Stenonema 218 Stephanolepis cirrhifer 505 Sternotherus carinatus 684 minor 713 odoratus 50-56, 388, 730, 941-949 Stilosoma 1070 Stomatolepas praequestator 453 Streptocephalus dichotomus 654, 659 Stupendemys 764-765 geographicus 752, 754, 764, 768 Syllomus 766 aegyptiacus 764 Synchronia 951 Synedra 23 Synodus intermedius 551 Syringodium filiforme 746 Tachymenis chilensis 558 Takydromus tachydromoides 91-93 Taraxacum officinale 743 Taricha 1029 granulosa 631 rivularis 86, 462, 465-466, 477, 631 torosa 1028-1035 Teiidae 6, 93, 95-96, 241, 245, 560-565 Teiini 562 Teius 561 Teleostei 39, 591, 1058 Telescopus 268, 1070

dhara 268
fallax 268
hoogstraali 268
Telmatobiinae 179
Telmatobius 175-181
halli 175, 177-180
marmoratus 175, 177-180
montanus 175-176, 178-180
pefauri 175-180
peruvianus 175, 177-180
sp. 916
Telmatobufo 175, 180-181
venustus 176, 179
Tenebrio 981
molitor 645, 918-919
Tenualosa ilisha 541-549
Terrapene
carolina bauri 684
ornata 713
sp. 752
Testudines 445
Testudinidae 713, 752
Testudo
graeca 666, 761
hermanni 713, 761
horsfieldi 684
Teuchocercus 561-562
Thalassia 663, 736, 740-741, 743-747
testudinum 736, 740-743, 745
Thalassoma bifasciatum 47, 878-879
Thalassophina viperina 205
Thamnophis 7, 960
elegans 958, 960
sirtalis 501, 958, 960
sirtalis sirtalis 195
Thrattidion noctivagus 541, 548-550
Thryssa purava 541, 549
Thunnini 231
Thunnus thynnus 684-685, 687, 690
Thymallus arcticus 551
Tilapia 516-517
spp. 516
Tironyx 784
Toxochelyinae 766
Toxochelys 766
latiremis 764
Trachyboa 1070
Trachydosaurus 1070
Trematocara 595
Trematocranus 591, 595
microstoma 593
sp. 595
Tretioscincus 561-563
agilis 562
Tribolium 981
castaneum 608
Trichomycteridae 997
Tricoptera 218
Trimorphodon 1070
m 1 111 mr 4

Trionychidae 754

Trionyx 6 spiniferus hartwegi 388 Triturus 5 vulgaris 1081 Trogloglanis pattersoni 358 Tropidoclonium annulatum 165, 169 Tropidodipsas 164-165, 172 annulata 165 carri 165, 171-173 fasciata 164-165 fischeri 164-165, 170, 172 kidderi 164, 169-171 Tropidophiidae 1070 Tropidophis 1070 Tropidurus 93 Tubifex tubifex 654, 659 Tupinambis 245-247, 560-563 nigropunctatus 245 teguixin 245-246, 562 Turbinaria 737 Turdus migratorius 384-387 Typha latifolia 86 Typhlobagrus 359 kronei 359 Typhlonectes 950-952, 954 compressicaudus 950-955 Typhlonectidae 950 Typhlopidae 1069 Typhlops platycephalus 981

Uma
notata 1074
scoparia 93
Ungaliophis 1070
Uromastix hardwicki 93
Uromastyx 407-408, 708
acanthinurus 407-408
Uropeltidae 1069
Urosaurus 7, 14
ornatus 933-940
Urostrophus 6
Uta 99

Vaccinium 416
Varanidae 91, 96, 241, 560
Varanus 92, 95, 97, 560
indicus 91, 94, 96
komodoensis 761, 767
monitor 782
Vipera palaestinae 106
Viperidae 7, 649, 1069
Virginia fasciata 164–165, 169
Vulpes fulva 552

Wolffia tetraphylla 654, 659

Xantusia vigilis 93, 96 Xantusiidae 93, 96, 241, 560 Xenopeltidae 1070

COPEIA, 1985, NO. 4

Xenopeltis 1070
unicolor 715
Xenopus 299, 574–576, 578
gilli 574–580
laevis 251–254, 538, 574–580
muelleri 578
Xenosauridae 94, 96, 560
Xenosaurus 96, 560
grandis 94, 96
Xiliphius melanopterus 343

Xiphias gladius 222 Xiphophorus 507 helleri 233-234, 507 spp. 965 Xyrauchen 834, 840 texunus 837-838, 840, 846

Zachaenus 299 Zostera marina 451, 744

SUBJECT INDEX

COPEIA, 1985, No. 1-4

ACCLIMATION, Gambusia affinis (to temp.) 456-461.

ACTIVITY, Spalerosophis, Pythonodipsas (pupil shape

& diel activity) 266-268.

AGE, Embiotoca (jacksoni, lateralis) (age-related diet patterns) 986-994; Ambystoma texanum, Hynobius nebulosus, Rana (aurora, catesbeiana, pretiosa, sylvatica), Polypedates leucomystax, Triturus vulgaris (age-specific mortality in larvae) 1080-1083.

ANATOMY, sea turtles (digestive tract) 736-751.

ASYMMETRY, Gasterosteus aculeatus (in reduction of pelvic complex) 437-444; Gasterosteus aculeatus (of lat. plate no.) 619-624.

AUTOTOMY, Phyllodactylus marmoratus (economy of autotomy) 468-472; Sphenomorphus quoyii (effect

on exercise capacity) 1074-1077.

BEHAVIOR, Hyla microcephala (intra- & interspecific vocal behav.) 27-38; Ptychocheilus lucius (homing) 213-215; Oxybelis aeneus (cryptic movements) 242-245; Xenopus laevis (analysis of swimming behav.) 251-254; Spalerosophis, Pythonodipsas (viperlike behav.) 266-268; Lampropeltis, Micrurus, Erythrolamprus (adaptive value in predation on bird nests) 384-387; Anolis sagrei (avoidance learning) 409-414; Hynobius nebulosus (cannibalism among larvae) 472-476; Bufo americanus (mating call phonotaxis in females) 490-492; Crotalus viridis viridis (mouth gaping & head shaking) 496-497; Eumeces okadae (effect of brooding on egg mortality) 497-500; Gymnothorax herrei (spawning) 518-520; Bufo boreas (effect of salinity on feeding behav.) 645-648; sea turtles (behav. thermal regulation) 694-702; Eumeces fasciatus (egg-brooding behav.) 777-779; Caretta caretta (use of limbscales in food handling) 786-788; Acanthurus coeruleus, Caranx bartholomaei, Sparisoma rubripinne (role of cleaners in wound healing) 875-880; Anolis (cybotes, marcanoi) (inter- & intraspecific aggressive behav.) 905-910; Salmo trutta (prey switching) 918-926; Urosaurus ornatus (aggression differences between color morphs) 933-940; Oxylebius pictus (social behav. & color changes) 966-975; Astyanax fasciatus (change in phototaxic responses of surface & cave popn.) 1004-1011; Ictalurus nebulosus (individual recognition) 1060-1062; Aipysurus laevis, Boiga irregularis, Cacophis squamulosus, Demansia psammophis, Denisonia punctata, Fordonia leucobalia, Myron richardsoni, Notechis ater, Pseudonaja (affinis, guttata, ingrami, modesta, nuchalis, textilis), Simoselaps bertholdi, Stegonotus cucullatus (prey constriction) 1067-1071.

BLOOD, Caretta caretta (properties during dives) 671-679; Acrochordus javanicus, Caretta caretta, Chelonia mydas, Dermochelys coriacea, Lepidochelys kempi (hemoglobin struct. & func.) 679-693; Crotaphytus collaris (seasonal hematol. var.) 782-784.

BRAIN, Anolis sagrei (basal forebrain & neurochem. correlates of learning) 409-414; Caretta caretta (properties during dives) 671-679.

CALLS, Hyla (ebraccata, microcephala, phlebodes) (intra- & interspecific vocal behav.) 27-38; Bufo americanus (mating call phonotaxis in females) 490-492.

CANNIBALISM, Hynobius nebulosus (among larvae) 472-476.

CHEMORECEPTION, (in tastes buds on tongue & oral epithelium of lizards) 91–101; Sceloporus jarrovi (olfaction & vomeronasal) 239–242.

CHROMOSOMES, Oncorhynchus tshawytscha (Q band chromosomal polymorphism) 273–278; Platemys (macrocephala, pallidipectoris, platycephala, radiolata, spixii) (karyotypic variat.) 445–449; Nothobranchius guentheri (multiple sex chromosome system) 503–508; Gambusia (luma, rhizophorae, sexradiata, xanthosoma) (karyotypes) 1053–1056; Rana (a. aurora, aurora draytoni) (differ. in centromeric heterochromatin) 1071–1074.

CLEANING, role of cleaning stations in wound healing 875-880.

CLIMATE, Ambystoma talpoideum (climatic factors influencing migration) 477–489.

COLORATION, Erythrolamprus, Lampropeltis, Micrurus (adaptive value of bright ring pattern in males)
384-387; Anolis (cybotes, marcanoi) (dewlap color
& species recognition) 905-910; Urosaurus ornatus (aggression differences between color morphs)
933-940; Oxylebius pictus (social behav. & color
changes) 966-975; Breviraja (claramaculata n. sp.,
colesi, nigriventralis n. sp., schroederi n. sp., spinosa)
(color morphs recognized as distinct species)
1035-1052.

COMPETITION, (in resource partitioning in sala-

manders & reptiles) 1-21.

CYTOLOGY, Sauromalus obesus (nasal gland) 403– 409; Sciaenops ocellatus (gill arch epithelial & chloride cells) 515–518.

DENTITION, Tupinambis (nigropunctatus, teguixen) (ontogen. changes in dentition) 245-247.

DEVELOPMENT, Spalerosophis cliffordi (embryonic develop. of Duvernoy's gland) 101-106; Tupinambis (teguixen, nigropunctatus) (ontogen. changes in dentition) 245-247; Eleutherodactylus (antillensis, coqui, portoricensis) (direct develop. in; use in staging table) 423-436; Ambystoma texanum, Bufoamericanus, Pseudacris triseriata, Rana sphenoce-

phala (ontogen. shifts in final temp. preferenda) 462-467; Gasterosteus aculeatus (develop. osteol. of pelvic complex) 789-792; Carpiodes (carpo, cyprinus, velifer), Catostomus (catostomus, commersoni, discobolus, latipinnis), Cycleptus elongatus, Erimyzon oblongus, Hypentelium nigricans, Ictiobus (bubalus, cyprinellus, niger), Minytrema melanops, Moxostoma (erythrurum, macrolepidotum), Xyrauchen texanus (use of larval charc. to examine phylogeny) 833-846; Astyanax fasciatus (ontogen. change in phototaxis) 1004-1011; Taricha torosa (effect of egg size on larval develop.) 1028-1035.

DEWLAP, Anolis (cybotes, marcanoi) (role of dewlap color in species recognition) 905–910.

DISPERSAL (see Movement)

DISTRIBUTION, Sibon (f. fischeri, fischeri kidderi, carri) 164-174; Noturus lachneri 216-220; Cetorhinus maximus, Prionace glauca, Sphyrna spp. (from sightings off NE U.S.) 220-223; Caretta caretta, Dermochelys coriacea, Lepidochelys kempi (distr. in Chesapeake Bay) 449-456.

DUVERNOY'S GLAND, Spalerosophis cliffordi (em-

bryonic develop. of) 101-106.

ECOLOGY, (resource partitioning in salamanders & reptiles) 1-21; Rana (pipiens, sylvatica) (physiol. effects of low environ. pH) 415-423; sea turtles (nutritional ecol.) 736-751; Gambusia marshi 898-905.

EGGS, Ophioblennius atlanticus macclurei 39-49; (water & heat exchange in reptile eggs) 703-711; Eumeces fasciatus (egg-brooding) 777-779; Sternotherus odoratus (egg/body size relat.) 941-949; Taricha torosa (effect of egg size on larval develop.) 1028-1035.

ELECTROPHORESIS, Pelobates (cultripes, varaldii) 107-112; Chapalichthys encaustus, Goodea atripinnis (survey of enzyme polymorphism) 112-118; (as a tool in studies of anuran evol.) 292-309; Scaphiopus (bombifrons, multiplicatus) (electroph. used to detect hybridization) 324-332; Oryzias (celebensis, javanicus, latipes, luzonensis, melastigma) (compar. of proteins) 521-522; Gambusia affinis (differences in dispersing & nondispersing fish) 597-612.

EMBRYOLOGY, Eleutherodactylus (antillensis, coqui, portoricensis) (use in developing a staging table) 423-436.

EMERGENCE, Chelonia mydas (non-nesting emergence in Australia) 262-264.

ENDOCRINOLOGY, Bufo americanus (induction of mating call phonotaxis by intracerebroventricular prostaglandin) 490-492; sea turtles (comp. endocrinol. of) 723-735; Eumeces fasciatus (eggbrooding not influenced by ovarian steroids) 777-779.

EYE, Pythonodipsas, Spalerosophis (pupil shape & diel activity) 266-268.

EVOLUTION, (creatine kinase var.: use in evol. & syst. studies of amphib. & rept.) 279-284; (elec-

trophoresis & microcomplement fixation as tools in studies of anuran evol.) 292-309.

EXTINCTION, dinosaurs (role of temp. depend. sex determination on) 711-722.

FEEDING, Menidia menidia 21-26; Ambystoma maculatum (kinematics of midwater prey capture) 247-251; Ambystoma tigrinum, Desmognathus (fuscus, monticola, ochrophaeus, quadramaculatus), Gyrinophilus porphyriticus, Pseudotriton ruber (role of atlanto-mandibular ligaments in feeding) 254-257; Bufo boreas (effects of salinity on feeding behav.) 645-648; Chelonia mydas (nutritional ecol.) 736-751; Caretta caretta (use of limbscales in food handling) 786-788; Salmo trutta (prey switching) 918-926; Brevoortia tyrannus (branchial basket struct. associated with feeding) 1018-1027.

FOOD, (size & type in resource partitioning in salamanders & reptiles) 1-21; Noturus lachneri 216-220; sea turtles (nutritional ecol.) 736-751; Acestrorhynchus microlepis (diet in low llanos) 794-796; Gambusia marshi 898-905; Embiotoca (jacksoni, lateralis) (age-related diet patterns) 986-994; Sceloporus undulatus garmani (max. prey size) 1077-

1080.

GENETICS, Gambusia affinis, Lepomis macrochirus, Micropterus salmoides (genetic heterogen. rel. to body size) 118-125; Oncorhynchus tshawytscha (Q band to chromosomal polymorphism) 273-278; (genetic var. of creatine kinases of amphib. & rept.) 279-284; Salmo apache (genetic contamination with introd. salmonids) 285-292; Gambusia affinis (genetic differences in dispersing & nondispersing fish) 597-612; Scorpaena guttata, Sebastes (atrovirens, caurinus, melanostomus, mystinus, japonicus) (mitochondrial DNA) 1056-1058.

GEOGRAPHIC LOCALITIES

Alabama, Notropis (atrapiculus, b. bellus, bellus alegnotus, roseipinnis) 154–163; Pseudacris t. triseriata, Rana sphenocephala 462–467.

Alaska, Gasterosteus aculeatus 437-444; 619-624. Argentina, Liophis (anomalus, elegantissimus, vanzo-

linii n. sp.) 565-573.

Arizona, Sceloporus jarrovi 239-242; Salmo apache 285-292; Scaphiopus (bombifrons, multiplicatus) 324-332; Gambusia affinis 456-461.

Arkansas, Etheostoma (blennioides, caeruleum, euzonum, juliae, punctulatum, spectabile, stigmaeum, zonule), Percina (caprodes, evides) 56–68; Notropis snelsoni n. sp. 126–134; Noturus lachneri 216–220.

Atlantic, Bajacalifornia (arcylepis n. sp., calcarata, megalops) 345–356; Coryphaenoides (a. armatus, lep-

tolepis) 1011-1017.

Australia, Litoria (citropa, pearsoniana, phyllochroa, piperata n. sp. [N.S.W.], subglandulosa) 145–149; Acanthophis antarcticus, Notechis (curtus, scutatus) 257–259; Chelonia mydas 262–264; Phyllodactylus marmoratus (So. Austr.) 468–472; Bufo marinus

INDEX

625-631; Emydura signata 784-786; Aipysurus laevis, Boiga irregularis, Cacophis squamulosus, Demansia psammophis, Denisonia punctata, Fordonia leucobalia, Myron richardsoni, Notechis ater, Pseudonaja (affinis, guttata, ingrami, modesta, nuchalis, textilis), Simoselaps bertholdi, Stegonotus cucullatus 1067-1071.

Barbados, Ophioblennius atlanticus macclurei 39-49. Belize, Gambusia yucatana australis n. subsp. 368-378; Gambusia (luma, sexradiata) 1053-1056.

Bolivia, Cheirocerus eques 356-367.

Brazil, Cheirocerus (eques, goeldii) 356-367; Liophis

anomalus 565-573.

California, Bajacalifornia burragei 345-356; Bufo boreas 645-648; Gasterosteus aculeatus 789-793; Oxylebius pictus 966-975; Anniella pulchra 981-986; Embiotoca (jacksoni, lateralis) 986-994; Taricha torosa 1028-1035; Rana (a. aurora, aurora draytonni) 1071-1074.

Canada, (Quebec) Apeltes quadracus, Gasterosteus (aculeatus wheatlandi), Pungitius pungitius 209-213; Bufo boreas 645-648; Gasterosteus aculeatus 789-792; Etheostoma (nigrum, olmstedi) 855-865; Oxylebius pictus 966-975; Anniella pulchra 981-986; Embiotoca (jacksoni, lateralis) 986-994; Taricha torosa 1028-1035; Rana aurora aurora 1071-1074. Cayman Is., Gambusia xanthosoma 1053-1056.

Chile, Alsodes (barrioi, monticola, nodosus, tumultuosus), Caudiverbera caudiverbera, Insuetophrynus acarpicus, Telmatobius (halli, marmoratus, montanus, pefauri, peruvianus) 175-181; Bajacalifornia megalops 345-356; Liolaemus curis n. sp. 556-559.

China, Oryzias latipes 521-522.

Colombia, Breviraja nigriventralis n. sp. 1035-1052. Colorado, Ptychocheilus lucius 213-215; Ambystoma tigrinum 926-932.

Connecticut, Menidia menidia 21-26.

Dominican Republic, Anolis (cybotes, marcanoi) 905-

Ecuador, Cheirocerus eques 356-367; Cetopsorhamdia phantasia n. sp. 339-344; Bajacalifornia megalops 345-356.

El Salvador, Sibon (carri, fischeri) 164-174; Poeciliopsis (gracilis, sphenops) 961-965.

Fiji, Cryptoblepharus eximius, Gehyra vorax, Heteronota pelagica 150-154.

Florida, Anolis sagrei 182-194, 409-414; Sphyrna spp. 223-225; Rana okaloosae n. sp. 379-383; Poecilia latipinna 999-1004; Breviraja (claramaculatus n. sp., spinosa) 1035-1052; Gambusia rhizophorae 1053-1056.

French Guiana, Typhonectes compressicaudus 950-955; Breviraja nigriventralis n. sp. 1035-1052.

Georgia, Caretta caretta 1083-1085.

Guatemala, Sibon (carri, fischeri) 164-174; Gambusia yucatana australis n. subsp. 368-378.

Hawaiian Islands, Dactyloperus insulensis, Doryura vulpecula 150-154; Chanos chanos 890-898.

Honduras, Sibon (carri, fischeri) 164-174; Breviraja schroederi n. sp. 1035-1052.

India, Oryzias melastigma 521-522.

Indian Ocean, Bajacalifornia megalops 345-356. Indonesia, Oryzias celebensis 521-522.

1139

Iowa, Ambystoma maculatum 535-539.

Japan, Bajacalifornia megalops 345-356; Hynobius nebulosus 472-476; Eumeces okadae 497-500; Oryzias latipes 521-522.

Kansas, Sceloporus undulatus garmani 1077-1080. Kentucky, Ambystoma texanum, Bufe americanus 462-

Louisiana, Percina nigrofasciata 56-68; Notropis roseipinnis 154-163.

Malaysia, Enhydrina schistosa 955-961.

Massachusetts, Catostomus commersoni 613-618.

Mexico, Chapalichthys encaustus, Goodea atripinnis 112-118; Abronia (bogerti, chiszari, deppii, fuscolabialis, graminea, kalaina n. sp. [from Sierra Juarez, Oax.], mitchelli, mixteca, oaxacae, reidi, taeniata) 135-141; Sibon (carri, fischeri) 164-174; Barbulifer (pantherinus, mexicanus n. sp.) (Gulf of California) 333-339; Bajacalifornia burragei 345-356; Gambusia (yucatana australis n. subsp., y. yucatana) 368-378; Kinosternon hirtipes 388-393; Lepidochelys olivacea 779-782; Gambusia marshi 898-905; Astyanax fasciatus 1004-1011.

Michigan, Ambystoma laterale-texanum 309-324. Missouri, Etheostoma (blennioides, caeruleum, flabel-

lare, nianguae, spectabile, tetrazonum, zonale), Percina (caprodes, phoxocephala) 56-68; Cryptobranchus alleganiensis 492-496.

Mississippi, Notropis roseipinnis 154-163. Morocco, Pelobates varaldii 107-112.

Namibia, Nansenia (ardesiaca, problematica n. sp.) 141-145; Bajacalifornia megalops 345-356.

Nebraska, Siren sp. indet. 264-266; Pituophis melanoleucus 649-652.

Nevada, Rana aurora draytoni 1071-1074.

New Mexico, Etheostoma lebidium 56-68: Scabhiobus (bombifrons, multiplicatus) 324-332; Urosaurus ornatus 933-940.

New York, Salmo trutta 918-926.

New Zealand, Cyclodina aenea, Hombronia (fasciolaris, undosa), Hoplodactylus pomarii, Lygosomella aestuosa 150-154.

Nicaragua, Breviraja schroederi n. sp. 1035-1052. North Carolina, Desmognathus ochrophaeus 394-402;

Ambystoma (maculatum, opacum) 631-637; Scaphiopus holbrooki, Notophthalmus viridescens 638-644; Clemmys insculpta 784-786; Desmognathus quadramaculatus, Leurognathus marmoratus 847-854; Ichthyomyzon greeleyi 881-890; Breviraja spinosa 1035-1052.

Nova Scotia, Ambystoma maculatum 535-539. Ohio, Ambystoma laterale-texanum 309-324.

Oklahoma, Percina (caprodes, copelandi), Etheostoma radiosum 56-68; Notropis snelsoni n. sp. 126-134; Scaphiopus (bombifrons multiplicatus) 324-332; Eumeces fasciatus 777-779.

Pacific, Chanos chanos (equatorial) 890-898; Coryphaenoides (acrolepis, armatus variabilis, leptolepis), Nezumia (liolepis, stelgidolepis) 1011-1017.

Panama, Hyla microcephala 27-38; Oxybelis aeneus

242-245; Barbulifer ceuthoecus 333-339; Acanthurus coeruleus, Carans bartholomaei, Sparisoma rubripinne 875-880; Breviraja (nigriventralis n. sp., schroederi n. sp.) 1035-1052; Cheirodom arnoldi 1058-1060; Serranus lamprurus 1064-1066.

Pennsylvania, Rana sylvatica 415-423.

Peru, Bajacalifornia megalops 345-356; Cheirocerus (eques, goeldii) 356-367; Atelopus peruensis 910-917.

Philippines, Lipinia vulcania 150-154; Gymnothorax herrei 518-520; Oryxias luzonensis 521-522; Chanos chanos 890-898.

Puerto Rico, Chaetodon ocellatus × C. striatus 235-238; Eleutherodactylus coqui 423-436; Eptatretus mendozai n. sp. 865-869.

Samoa, Emoa nigrita, Heteronota pelagica 150-154. South Africa, Bajacalifornia megalops 345-356.

South Carolina, Gambusia affinis, Lepomis macrochirus, Micropterus salmoides 118-125; Ambystoma talpoideum 477-489; Gambusia affinis 597-612; Breviraja claramaculata 1035-1052.

Spain, Pelobates cultripes 107-112.

Surinam, Breviraja nigriventralis n. sp. 1035-1052. Tahiti, Chanos chanos 890-898.

Tennessee, Desmognathus ochrophaeus 394-402.

Texas, Ammocrypia vivax, Etheostoma (asprigene, chlorosomum, fonticola, gracile, grahami, histrio, lepidum, proeliare, radiosum, spectabile), Percina (caprodes, macrolepida, sciera, shumardi) 56-68; Scaphiopus (bombifrons, multiplicatus) 324-332; Kinosternon hirtipes 388-393; Crotaphytus collaris 976-980; Gambusia gaigei 1063-1066.

Utah, Ptychocheilus lucius 213-215; Iotichthys phlegethontis × Gila atraria, I. phlegethontis × Rhinich-

thys osculus 509-515.

USA, Cetorhinus maximus, Prionace glauca, Sphyrna spp. (off NE U.S.) 220-223.

Venezuela, Cheirocerus abuelo 356–367; Acestrorhynchus microlepis 794–796; Breviraja nigriventralis n. sp. 1035–1052.

Virginia, Sternotherus odoratus 50-56; Caretta caretta, Dermochelys coriacea, Lepidochelys kempi (Chesapeake Bay) 449-456; Chirostoma beryllinum 792-794; Sternotherus odoratus 941-949.

Washington, Oncorhynchus tschawytscha 273-278; Oxylebius pictus 966-975; Ictalurus nebulosus 1060-1062.

West Africa, Bajacalifornia calcarata 345-356. Wisconsin, Oncorhynchus tschawytscha 273-278. Wyoming, Crotalus v. viridis 496-497.

GILLS, Sciaenops ocellatus (gill arch epithelium) 515– 518.

GROWTH, Menidia menidia 21-26; Cryptobranchus alleganiensis (examination of long-term growth predictions by linear regression) 492-496; Chelonia mydas (nutrient limitations on growth) 736-751; Archelon ischyros, Caretta caretta, Carettochelys insculpta, Chelonia mydas, Dermochelys coriacea, Eretmochelys imbricata, Geochelone elephantopus, Lepidochelys (kempi, olivacea), Macroclemys temmincki, Podocnemis unifilis, Rhinochelys pulchriceps, Stupen-

demys geographicus (skeletal growth) 752-771; Desmognathus quadramaculatus, Leurognathus marmoratus (growth rates in s. Appalachian stream) 847-854; Ichthyomyzon greeleyi (growth of larvae & adults) 881-890; Typhlonectes compressicaudus 950-955; Enhydrina schistosa (using mark & recapture data in Malaysia) 955-961.

HABITAT, (dimension in resource partitioning in salamanders & reptiles) 1-21; Sibon (carri, f. fischeri, fischeri kidderi) 164-174; Alsodes (barrioi, monticola, nodosus, tumultuosus), Caudiwerbera caudiverbera, Insuetophrynus acarpicus, Telmatobius (halli, marmoratus, montanus, pefauri, peruvianus) (habitat preferences) 175-181; Noturus lachneri 216-220; Xenopus (gilli, laevis) (hab. selection in Cape Province) 574-580.

HISTOLOGY, Desmognathus ochrophaeus (cloacal gland & spermatophore) 394-402; Sauromalus obesus (nasal gland) 403-409; sea turtles (of digestive tract) 736-751.

HOMING, (see Migration)

HYBRIDIZATION, Chaetodon ocellatus × C. striatus 235–238; Ambystoma laterale-texanum (unisexual hybrid) 309–324; Scaphiopus (bombifrons × multiplicatus) (introgressive hybrid.) 324–332; Iotichthys phlegethontis × Gila atraria, I. phlegethontis × Rhinichthys osculus 509–515; Xenopus (gilli × laevis) 574–580.

IMMUNOLOGY, Pelobates (cultripes, varaldii) (albumin) 107-112.

LATERAL LINE, Ambystoma (maculatum, tigrinum) (neuromast topography) 535-539; Dorosoma cepedianum (lat. line system) 540-556.

LARVAE, Ophioblennius atlanticus macclurei 39-49; Alsodes (barrioi, monticola, nodosus, tumultuosus), Caudiverbera caudiverbera, Insuetophrynus acarpicus, Telmatobius (halli, marmoratus, montanus, pefauri, peruvianus) (larval morphol.) 175-181; Ambystoma texanum, Bufo americanus, Pseudacris triseriata, Rana sphenocephala (ontogeny of temp. selection in larvae) 462-467; Hynobius nebulosus (cannibalism among larvae) 472-476; Bufo marinus (effects of photoperiod & starvation on temp. tolerance of larvae) 625-631; Rana tigrina (factors affecting metamorphic period & larval period) 653-662; Carpiodes (carpio, cyprinus, velifer), Catostomus (catostomus, commersoni, discobolus, latipinnis), Cycleptus elongatus, Erimyzon oblongus, Hypentelium nigricans, Ictiobus (bubalus, cyprinellus, niger), Minytrema melanops, Moxostoma (erythrurum, macrolepidotum), Xyrauchen texanus (use of larval charc. to develop phylogeny) 833-846; Desmognathus quadramaculatus, Leurognathus marmoratus (life history info.) 847-864; Ichthyomyzon greeleyi (larval growth, period, metamorphosis and changes in body proportions) 881-890; Ambystoma texanum, Hynobius nebulosus, Rana (aurora, catesbeiana, pretiosa, sylvatica), Polypedates leucomystax, Triturus vulgaris (age-specific mortality in larvae) 1080-1083.

LIFE HISTORY, Ophioblennius atlanticus macclurei 39-49; Desmognathus quadramaculatus, Leurognathus marmoratus (larval life history info.) 847-854; Gambusia marshi 898-905; Sternotherus odoratus (life history attributes) 941-949.

LIGHT, Astyanax fasciatus (ontogenetic change in phototaxis) 1004-1011; Taricha torosa (effect of egg size on larval develop.) 1028-1035.

LOCOMOTION, Elaphe g. guttata, Nerodia fasciata pictiventris (swimming) 195-208; Sphenomorphus quoyii (effect of tail autotomy on exercise capacity) 1074-1077.

METAMORPHOSIS, Rana tigrina (time & energy costs of) 653-662; Ambystoma tigrinum (facultative metamorph. in fossil popn.) 926-932; Taricha torosa (effect of egg size on metamorph.) 1028-1035.

METHODS, (nerve staining of amphib. & rept. using Sudan Black B) 500-502; Lepidochelys olivacea (for determining sex of hatchlings) 779-782.

MIGRATION, Ptychocheilus lucius (homing in Green R. basin) 213-215; Ambystoma talpoideum (climatic factors influencing) 477-489; Ambystoma (maculatum, opacum) (migratory orientation & homing) 631-637.

MORPHOLOGY, (Morphol. & physiol. constraints in resource partitioning among salamanders & reptiles) 1-21; (tastebuds on tongue & oral epithelium of lizards) 91-101; Pelobates (cultripes, varaldii) (morphol. compar.) 107-112; Alsodes (barrioi, monticola, nodosus, tumultuosus), Caudiverbera caudiverbera, Insuetophrynus acarpicus, Telmatobius (halli, marmoratus, montanus, pefauri, peruvianus) (larval morphol.) 175-181; Anolis sagrei (microevol. adjustments of morphol. in Fla. popn.) 182-194; Elaphe g. guttata, Nerodia fasciata pictiventris (axial skeleton & musculature) 195-208; Xenopus laevis (function of sliding pelvis in swimming) 251-254; Ambystoma tigrinum, Desmognathus (fuscus, ochrophaeus, quadramaculatus), Gyrinophilus porphyriticus, Pseudotriton ruber (function of atlanto-mandibular ligaments; Pythonodipsas, Spalerosophis (viperlike head shape & behav.) 266-268; Eleutherodactylus coqui (embryo morphol.) 423-436; Gasterosteus aculeatus (pelvic reduction & asymmetry) 437-444; Sciaenops ocellatus (gill arch epithelium) 515-518; Ambystoma (maculatum, tigrinum) (neuromast topography) 535-539; Dorosoma cepedianum (of lat. line sytem) 540-556; Teiidae (infralingual plicae) 560-565; Chelonia mydas (lung structure) 664-671; Etheostoma (nigrum, olmstedi) (morphol. differentiation of) 855-856; Chanos chanos (morphol. var. in) 890-898; Coryphaenoides (acrolepis, a. armatus, armatus variabilis, leptolepis), Nezumia (liolepis, stelgidolepis) (var. in saggita morphol. with depth) 1011-1017; Brevoortia tyrannus (func. morphol. of branchial basket struct.) 1018-1027.

MORTALITY, Caretta caretta, Dermochelys coriacea, Lepidochelys hempi (mortality in Chesapeake Bay) 449-456; Eumeces okadae (brooding & egg mortality) 497-500; Ambystoma texanum, Hynobius nebulosus, Rana (aurora, catesbeiana, pretiosa, sylvatica), Polypedates leucomystax, Triturus vulgaris (agespecific mortality in larvae) 1080-1083.

MOVEMENT, Oxybelis aeneus (cryptic movements) 242-245; Ambystoma maculatum (kinematics of midwater prey capture) 247-251; Chelonia mydas (non-nesting emergence) 262-264; Gambusia affinis (genetic differences in dispersing & nondispersing fish) 597-612; Desmognathus quadramaculatus, Leurognathus marmoratus (larval stream drift, effect on popn. structure) 847-854.

NASAL GLAND, Sauromalus obesus (histol., cytol.) 403-409.

NEOTONY, Ambystoma tigrinum (in fossil popn.) 926-932.

NERVES, Ambystoma tigrinum, Pseudacris triseriata, Rana pipiens, Thamnophis sirtalis (nerve staining of amphibians and reptiles using Sudan Black B) 500-502; Ambystoma (maculatum, tigrinum) (neuromast topography) 535-539; Dorosoma cepedianum (lat. line system) 540-556.

OLFACTION, Ictalurus nebulosus (individual recognition) 1060-1062.

OSMOREGULA'TION (see Physiology)

OSTEOLOGY, Archelon ischyros, Caretta caretta, Carettochelys insculpta, Chelonia mydas, Dermochelys coriacea, Eretmochelys imbricata, Geochelone elephantopus, Lepidochelys (kempi, oilacea), Macroclemys temmincki, Podocnemis unifilis, Rhinochelys pulchriceps, Stupendemys geographicus (skeletal osteology) 752–771; Gasterosteus aculeatus (develop. osteol. of pelvic complex) 789–792.

OTOLITHS, Corphaenoides (acrolepis, a. armatus, armatus variabilis, leptolepis), Nezumia (liolepis, stelgidolepis) (var. in saggita morphol. with depth)

1011-1017.

PALEONTOLOGY, Siren sp. indet. (Miocene n. Nebraska) 264-266; Ambystoma tigrinum (Pleistocene, Colorado) 926-932.

PARASITES, Gambusia marshi 898-905.

pH, Rana sylvatica (effects of low pH on tadpole ionic

regulating mech.) 415-423.

PHYSIOLOGY, (physiol. & morphol. constraints in resource partitioning among salamander & reptiles) 1-21; Apeltes quadracus, Gasterosteus (aculeatus, wheatlandi), Pungitius pungitius (salinity preference during reprod. season) 209-213; Anolis sagrei (basal forebrain & neurochem. mech. in learning) 409-414; Rana sylvatica (effects of low pH on tadpole ionic regulat. mech.) 415-423; Gambusia affinis (thermal tolerance) 456-461; Chelonia mydas (respiration) 664-671; Caretta caretta (respir. physiol. of diving) 671-679; Acrochordus javanicus, Caretta caretta, Chelonia mydas, Dermochelys coriacea, Lepidochelys kempi (hemoglobin struct. & func.) 679-699; sea turtles (thermal regulation) 694-702; reptile eggs (water & heat exchange in) 703-711; sea turtles (role of hormones in physiol. ecol.) 723-735; sea turtles (salt & water regulation in) 771-776; Pangasius sutchi (swimbladder for air-breathing) 994-998; Anniella pulchra (drinking of soil water) 981-986.

POPULATIONS, Goodea atripinnis, Chapalichthys encaustus (intralacustrine differentiation in L. Chapala) 112-118; Gambusia (y. yucatana, yucatana australis n. subsp.) 368-378; Gasterosteus aculeatus (popn. var. in pelvic complex reduction & dorsal spine loss) 437-444; Caretta caretta, Dermochelys coriacea, Lepidochelys kempi (popn. structure in Chesapeake Bay) 449-456; Gambusia affinis (demographic differences in dispersing & nondispersing fish) 597-612; Desmognathus quadramaculatus, Leurognathus marmoratus (popn. structure in a s. Appalachian stream) 847-854; Ambystoma tigrinum (facultative metamorph. in high-altitude popn., Pleistocene, Colorado) 926-932; Enhydrina schistosa (using mark & recapture data in Malaysia) 955-961; Astyanax fasciatus (change in phototaxic responses of surface & cave popn.) 1004-1011.

PREDATION, (as a factor in resource partitioning among salamanders & reptiles) 1–21; Notophthalmus viridescens, Scaphiopus holbrooki (predator abundance relat. to prey survival & injury freq.) 638–644; Salmo trutta (prey switching) 918–926; Aipysurus laevis, Boiga irregularis, Cacophis squamulosus, Demansia psammophis, Denisonia punctata, Fordonia leucobalia, Myron richardsoni, Notechis ater, Pseudonaja (affinis, guttata, ingrami, modesta, nuchalis, textilis), Simoselaps bertholdi, Stegonotus cucullatus (prey constriction) 1067–1071; Sceloporus undulatus garmani (max. prey size) 1077–1080.

RAINFALL, Ambystoma talpoideum (influence of rainfall on migrations) 477-489.

REPRODUCTION, Menidia menidia 21-26; Sternotherus odoratus (seasonality of changes in testes) 50-56; Ammocrypta vivax, Etheostoma (asprigene, blennioides, caeruleum, chlorosomum, euzonum, flabellare, fonticola, gracile, grahami, histrio, juliae, lepidum, nianguae, nigrofasciata, proeliare, punctulatum, radiosum, spectabile, stigmaeum, tetrazonum, zonale), Percina (caprodes, copelandi, cuides, macrolepida, phoxocephala, sciera, shumardi) (reprod. season) 56-68; Apeltes quadracus, Gasterosteus (aculeatus, wheatlandi), Pungitius pungitius (salinity preference during reprod. season) 209-213; An-

olis carolinensis (oviposition interval) 259-262; Desmognathus ochrophaeus (cloacal gland secretion & spermatophore formation) 394-402; Gymnothorax herrei (spawning) 518-520; Etheostoma (Catonotus) spp. (nuptial structures) 580-583; Catostomus commersoni (non-annual spawning) 613-618; sea turtles (role of hormones in reprod.) 723-735; Gambusia marshi 898-905; Sternotherus odoratus (female reprod. cycle) 941-949; Typhlonectes compressicaudus 950-955; Poeciliopsis (gracilis, sphenops) (photoperiod effect on) 961-965; Crotaphytus collaris 976-980; Poecilia latipinna (popn. var. in degree of viviparity) 999-1004; Gambusia gaigei (fecundity) 1063-1064; Caretta caretta (seasonal var. in clutch size) 1083-1085.

SALINITY, Bufo boreas (effect of salin. on feeding behav.) 645-648.

SCALES, Etheostoma (Catonotus) spp. (nuptial structures) 580-583; Caretta caretta (use of limbscales in food handling) 786-788.

SEASONALITY, Sternotherus odoratus (seasonality of changes in testes) 50-56; Ammocrypta vivax, Etheostoma (asprigene, blennioides, caeruleum, chlorosomum, euzonum, flabellare, fonticola, gracile, grahami, histrio, juliae, lepidum, nianguae, nigrofasciata, proeliare, punctulatum, radiosum, spectabile, stigmaeum, tetrazonum, zonale), Percina (caprodes, copelandi, cuides, macrolepida, phoxocephala, sciera, shumardi) (reprod. season) 56-68; Sphyrna spp. (seasonal abundance off Florida) 223-225; Caretta caretta, Dermochelys coriacea, Lepidochelys kempi (seasonal abundance in Chesapeake Bay) 449-456; Crotaphytus collaris (seasonal hematol. var.) 782-784; Ichthyomyzon greeleyi (in growth rates) 881-890; Gambusia gaigei (seasonal. of fecundity) 1063-1064; Caretta caretta (seasonal var. in clutch size) 1083-1085.

SEX, Apistogramma (borelli, caucatoides), Pelvicachromis (pulcher, subocellatus, taeniatus), Xiphophorus helleri (effect of pH on sex ratios) 233-235; Ambystoma laterale-texanum (unisexual hybrid) 309-324; Nothobranchius guentheri (multiple sex chromosome system) 503-508; Pituophis melanoleucus (adult & hatchling sex ratios) 649-652; Chelonia mydas agassizi, Lepidochelys olivacea (determining sex of hatchlings) 779-782; Clemmys insculpta, Emydura signata (non-temp. depend. sex determin.) 784-786; Ichthyomyzon greeleyi (changes in sex ratio) 881-890.

SEXUAL DIMORPHISM, Anolis sagrei (geogr. var. in sexual dimorph.) 182-194; Kinosternon hirtipes (geogr. var. in sexual size dimorph.) 388-393; Oxylebius pictus (behav. modification of sexual dichromatism) 966-975.

SIZE, Hynobius nebulosus (cannibal-victim size relationship) 472-476; Sternotherus odoratus (egg/body size relat.) 941-949; Coryphaenoides (acrolepis, a armatus, armatus variabilis, leptolepis), Nezumia (liolepis, stelgidolepis) (var. in saggita size with depth)

1011-1017; Taricha torosa (effect of egg size on larval develop.) 1028-1035; Scorpaena guttata, Sebastes (atrovirens, caurinus, melanostomus, mystinus, japonicus) (var. in mitochondrial DNA genome size) 1056-1058; Sceloporus undulatus garmani (max. prey size) 1077-1080; Caretta caretta (seasonal var. in clutch size) 1083-1085.

SPERMATOZOA, Desmognathus ochrophaeus 394-402

SURVIVAL, Rana (pipiens, sylvatica) (relat. of survival times with pH) 415-423; Notophthalmus viridescens, Scaphiopus holbrooki (predator abundance relat. to prey survival) 638-644; Enhydrina schistosa (using mark & recapture data) 955-961; Ambystoma texanum, Hynobius nebulosus, Rana (aurora, catesbeiana, pretiosa, sylvatica), Polypedates leucomystax, Triturus vulgaris (age-specific mortality in larvae) 1080-1083.

SWIMBLADDER, Pangasius sutchi (used for air-

breathing) 994-998.

SYSTEMATICS, Notropis snelsoni n. sp. (Ouachita Mtn., Arkansas & Oklahoma) 126-134; Abronia (bogerti, chiszari, deppii, fuscolabialis, graminea, kalaina n. sp., mitchelli, mixteca, oaxacae, reidi, taeniata) 135-141; Nansenia (ardesiaca, problematica n. sp.) 141-145; Litoria (citropa, pearsoniana, phyllochroa, piperata, subglandulosa) 145-149; Cryptoblepharus eximius, Cyclodina aenea, Dactyloperus insulensis, Doryura vulpecula, Emoa nigrita, Gehyra vorax, Heteronata pelagica, Hombronia (fasciolaris, undosa), Hoplodactylus pomarii, Lipinia vulcania, Lygosomella aestuosa (status of type specimens) 150-154; Notropis (subgen. Lythrurus) (atrapiculus, b. bellus, b. alegnotus, roseipinnis) (biochem. systematics) 154-163; Sibon (carri, f. fischeri, fischeri kidderi) (review of) 164-174; Alsodes (barrioi, monticola, nodosus, tumultuosus), Caudiverbera caudiverbera, Insuetophrynus acarpicus, Telmatobius (halli, marmoratus, montanus, pefauri, peruvianus) (phenetic relat.) 175-181; Ioa vigil (valid sp. of Percina) 225-227; Megachasma pelagios (relat. of; included in Cetorhinidae) 228-231; (creatine kinases variabil.: use in evol. & system. studies of amphib. & rept.) 279-284; Barbulifer (antennatus, ceuthoecus, mexicanus n. sp. [Mexico], pantherinus) (revision of) 333-339; Cetopsorhamdia phantasia n. sp. (Ecuador) 339-344; Bajacalifornia (arcylepis n. sp., burragei, calcarata, megalops) (rev. of genus; drahei & erimoensis synon. of megalops) 345-356; Cheirocerus (abuelo, eques, goeldii) (gen. revis.; leptus synon. with goeldii) 356-367; Gambusia (yucatana australis n. subsp.; y. yucatana) 368-378; Rana okaloosae n. sp. (nw. Florida) 379-383; Gymnothorax herrei (redescription of) 518-520; Dorosoma cepedianum (use of lat. line charc. to determine relat.) 540-556; Liolaemus curis n. sp. (Chile) 556-559; Teiidae (microteiids included, based on infralingual plicae) 560-565; Liophis (anomalus, elegantissimus, vanzolinii n. sp.) (review) 565-573; Etheostoma (Catonotus) spp. (systematic signif. of nuptial structures) 580-583; Etmopterus (carteri n. sp., perryi n. sp. [both from off Caribbean Colombia]) 584-591; Cyrtocara macrocleithrum n. sp. (L. Malawi) 591-596; Chirostoma beryllinum (neotype designation) 792-794; Carpiodes (carpio, cyprinus, velifer), Catostomus (catostomus, commersoni, discobolus, latipinnis), Cycleptus elongatus, Erimyzon oblongus, Hypentelium nigricans, Ictiobus (bubalus, cyprinellus, niger), Minytrema melanops, Moxostoma (erythrurum, macrolepidotum), Xyrauchen texanus (use of larval charc. to examine phylogeny) 833-846; Etheostoma (nigrum, olmstedi) (confirmation of species status) 855-865; Eptatretus mendozai n. sp. (Puerto Rico) 865-869; Lophiodes, Lophiomus, Lophius, Sladenia (intergen. relat.) 870-875; Atelopus peruensis n. sp. (Peruvian Andes) 910-917; Breviraja (claramaculata n. sp., colesi, nigriventralis n. sp., schroederi n. sp., spinosa) (color morphs recognized as distinct species) 1035-1052; Gambusia (luma, rhizophorae, sexradiata, xanthosoma) (karyotypes) 1053-1056; Cheirodon arnoldi (sr. synon. of C. affinis) 1058-1060; Serranus lamprurus (jr. synon. of Lutjanus argentiventris) 1064-1066.

TEMPERATURE, Auxis thazard (body temp.) 231–233; Gambusia affinis (differences in thermal tolerance among acclimation groups) 456–461; Ambystoma texanum, Bufo americanus, Pseudacris triseriata, Rana sphenocephala (ontogenetic shifts in final temp. preferenda) 462–467; Ambystoma talpoideum (influence of temp. on migrations) 477–489; Bufo marinus (effects of photoperiod & starvation on temp. tolerance) 625–631; sea turtles (thermal regulation) 694-702; reptile eggs (water & heat exchange in) 703–711; Caretta caretta, Chelonia mydas, Dermochelys coriacea, Lepidochelys olivacea (temp. depend. sex determ.) 711–722; Clemmys insculpta, Emydra signata (non-temp. depend. sex determ.) 784–786.

VARIATION, Ammocrypta vivax, Etheostoma (asprigene, blennioides, caeruleum, chlorosomum, euzonum, flabellare, fonticola, gracile, grahami, histrio, juliae, lepidum, nianguae, nigrofasciata, proeliare, punctulatum, radiosum, spectabile, stigmaeum, tetrazonum, zonale), Percina (caprodes, copelandi, cuides, macrolepida, phoxocephala, sciera, shumardi) (geogr. var. in reprod. season) 56-68; Goodea atripinnis, Chapalichthys encaustus (microgeogr. biochem. var.) 112-118; Gambusia affinis, Lepomis macrochirus, Micropterus salmoides (microgeogr. isozyme var.) 118-125; Sibon (carri, fischeri) (geogr. & nongeogr. var.) 164-174; Anolis sagrei (geogr. var. in scale charc. & sex. dimorph.) 182-194; Salmo apache (morphol. & meristic var. in popn.) 285-292; Kinosternon hirtipes (geogr. var. in sex dimorph.) 388-393; Gasterosteus aculeatus (var. of pelvic complex & dorsal spines) 437-444; Platemys (macrocephala, pallidipectoris, platycephala, radiolata, spixii) (karyotype var.) 445-449; Gasterosteus aculeatus (lat. plate var.) 619-624; Pituophis melanoleucus (var. in sex ratios of adults & hatchlings) 649-652; Crotaphytus collaris (hematol. var.) 782-784; Chanos chanos (geogr. var.) 890-898; Salmo trutta (individual & temporal var. in prey switching) 918-926; Poecilia latipinna (var. in degree of viviparity) 999-1004; Corphaenoides (acrolepis, a. armatus, armatus variabilis, leptolepis), Nezumia (liolepis, stelgidolepis) (var. in saggita size with depth) 1011-1017; Scorpaena guttata, Sebastes (atrovirens, caurinus, melanostomus, mystinus, japonicus) (var. in mitochondrial DNA) 1056-1058; Caretta caretta (seasonal var. in clutch size) 1083-1085.

- VENOM, Notechis (curtus, scutatus), Acanthophis antarcticus, Pseudechis australis, Pseudonaja texilis, Oxyuranus scutellatus (antivenom reactivity) 257–259.
- VOMERONASAL ORGAN, Sceloporus jarrovi (does olfaction activate?) 239-242; Crotalus viridis viridis (mouth gaping & head shaking associated with VNO olfaction) 496-497.
- WATER, Anniella pulchra (drinking of soil water) 981-